Hippos (Sussita) Excavations 2008 – 9th Season Daily Log + Drawing

Date: 20 July 08 Area: NEC Manager: Schuler	
---	--

Squares	A0/A1/A2	D4	C5	C1	
Loci	1226 (A1E)	L595	L1255		
	1260 (cistern)				
Baskets	5490	5492	5493		
	5491				
Walls	W585, W1218, W1229, W1231, W1267				
Floors	F538, F597, F1258, F1264				

Continued work in A1 and A2

- Starting elevation = 130.411 (A1 east)
- Ending elevation = 130.008 (A0 floor by pilaster), 130.334 (A2 floor near entrance)
- Soil is Horizon B
- Continued work on east side of W1267
- Finished cistern. It is 1.55m deep and 1.2m wide at its widest point. Elevation of bottom of cistern is 128.13.
- Removed Corinthian capital and two column drums from the fill. One of the drums was limestone, the other marble(?). The latter had notches for lifting.
- Between the south doorjamb and the first pilaster (ie., in front of the blocked doorway) is a stone platform 1.95x0.50m that is 20cm tall. It sits on a paved surface.
- 1.5m north of the south edge of the same pilaster is a step (?) that is 23 cm
 high
- o 80 cm further north is another step/platform that is 26cm higher.
- 1.84 m from the first step is the beam at the expected location of the next pilaster. It is 47cm higher than the second step.
- How this all functions is uncertain.
- Continued work in Square C5
 - Starting elevation = 129.502 (top), 129.365 (paving next to W1229)

- Ending elevation = 129.270 (F1264), 129.427 (F1258), 129.777 (top of W1263)
- Soil is Horizon B
- o Cleared to a floor level (F1264) that is at a lower level than the floor in D5.
- The two floors are separated by a 70cm wall. There is a 90cm doorway in that wall 1.3m from W1231. The wall stands to a height of just 35 cm.
- Continued work in Square D4
 - Starting elevation = 130.010
 - Ending elevation = 129.940 (average level), 130.024 (plaster floor F597).
 - o Soil is horizon C
 - Excavated the room in D4 to the level of the south threshold.
 - A large Umayyad pot was recovered in pieces in the northeast corner of the room.
 - Near the pot was a piece of plaster on W1218 indicated the level of the now decayed plaster floor (130.02). That plaster floor was well above the threshold level of the door in W1231 (129.91). A large stone in front of the threshold may have served as a step.
 - Just west of the threshold in W1231, an oil lamp (Item # 290) was recovered at the excavation level of 129.94.
 - The interior of W585 shows three layers
 - Top 60cm are round stones
 - The next 40cm are larger flat stones.
 - Heavy foundation stones (protruding into the room) are the last 30cm.
 - The street to the west of W585 is about 90cm below the top of the wall.

Conservation of floor in C1

 Finished conserving the north aisle mosaic (F538). Ready for drawing and photography.

Observations

Daily Drawing

